



Content



01	Report Overview	22	Massachusetts
02	National Municipal Stormwater Alliance	26	Minnesota
03	Foreword	30	Nebraska
04	Arizona	32	Ohio
06	California	34	Pennsylvania
08	Indiana	36	Tennessee
12	Iowa	40	Utah
16	Kentucky	42	Virginia
18	Maine		





Report Overview

This "State of Stormwater Report" was compiled by the National Municipal Stormwater Alliance (NMSA) and its members to provide an overview of the current state of program implementation of municipal separate stormwater permits (MS4s) in the US under the National Pollutant Discharge Elimination System (NPDES) permitting program.

This report provides a brief overview of stormwater programs in participating states. The information was compiled by NMSA member organizations and does not reflect any official state position on permit compliance or receiving water quality. Rather, the information provided is a snapshot of overall MS4 NPDES program implementation, current regulatory issues in the state, and a general estimate of the trend and overall quality of the state's receiving waters.

NMSA will produce this report annually, with the intent of providing information on sector needs and a qualitative assessment of US receiving water quality and trends.

In future editions of this report, NMSA will strive to include information from additional states until all US states are covered. The goal is to provide information that supports and improves MS4 program implementation and continuing development.

National Municipal Stormwater Alliance (NMSA)

NMSA is a 501(c)(3) dedicated to providing clean water for the nation and supporting MS4 programs in the US. Each year, NMSA will use this report to provide a brief update on its activities. Learn more at www.nationalstormwateralliance.org.

ASCE Infrastructure Report Card

NMSA is working with the American Society of Civil Engineers (ASCE) to explore the feasibility of including stormwater as an independent category on the ASCE Infrastructure Report Card produced every four years. Stormwater is currently included as a subset of the wastewater report card. This is problematic, as the public does not view stormwater as a fundamental part of urban infrastructure. Without public understanding and visibility, it is difficult for MS4 programs to receive funding. To date, NMSA has created grading criteria for the stormwater category that is being rolled out to upcoming ASCE state infrastructure report cards. View the 2017 ASCE Infrastructure Report Card at www.infrastructurereportcard.org.

WEF Water Week

NMSA participated in Water Week in April 2018, meeting with Congresswoman Grace Napolitano and her staff on stormwater issues. In collaboration with the Water Environment Federation (WEF), NMSA also developed a stormwater fact sheet for members to use to guide

their meetings with congressional representatives. The fact sheet included four requests: study program funding needs, improve stormwater planning tools, emphasize source control of pollutants in stormwater, and improve stormwater infrastructure data needs collection. The fact sheet is available on NSMA's website.

Comment Letter to EPA on Groundwater / Surface Water Connection and Regulation

NMSA developed and submitted a comment letter to the US Environmental Protection Agency (EPA) in response to the agency's request for comment on whether pollutant discharges from point sources that reach jurisdictional surface waters via groundwater may be subject to regulation under the Clean Water Act. The NMSA comment letter to EPA is available online.

NMSA Newsletter

NMSA publishes a quarterly newsletter for its members. The newsletter provides summary level information on a wide variety of programs and issues affecting the stormwater sector. Most content is provided in bulleted format with a hyperlink to more in-depth coverage. Past issues of the newsletter are available online.

Foreword

By Paul Davis, National Stormwater Center Instructor

Tennessee's first Stormwater Management Program document appeared in my inbox in 1993. An uncommonly prophetic engineer included this quote from the 16th century Italian philosopher Niccolo Machiavelli:

There is nothing more difficult to take in hand, more perilous to conduct, or more uncertain in its success, than to take the lead in the introduction of a new order of things.

Machiavelli's message—that we should not expect important changes to come easily—has proven to be emphatically the case for the Clean Water Act's stormwater program.

The US EPA's stormwater rules were issued nearly three decades ago. Yet as recently as 2015, the WEF report *Rainfall to Results: The Future of Stormwater* acknowledged that while practices have improved, "stormwater is the only growing source of water pollution in many watersheds throughout North America."

Growing source? Despite all our efforts?

Unfortunately, yes. We're not yet keeping contaminants out of stormwater, and we're not yet managing drainage so that, as much as possible, rain stays where it falls. The result is pollution that's putting urban populations at risk, threatening public water supplies, and diminishing aquatic life.

So how is it that we're coming up short? Do we not have the needed staff, training, equipment, or technology? Does local government still not see the importance of stormwater management? Is it special interests pushing back on clean water programs? Does the public not appreciate what we're doing? Are state and federal oversight programs ineffective?

In this first State of Stormwater Report, NMSA's member organizations address these and other questions, helping us understand what change—what "new order of things"—is needed if we're to meet our goals for protecting urban waters.

So thanks, NMSA members and survey participants, for this report. And thanks, MS4 community, for everything you're doing to restore and maintain our nation's waters.

Paul Davis directed Tennessee's Water Pollution Control Agency for 24 years and now teaches stormwater programs through the National Stormwater Center.



Arizona

The Arizona Department of Environmental Quality (AZDEQ) is the delegated state authority for MS4 permits. The AZDEQ has issued eight Phase I MS4 permits and has a Small MS4 General Permit covering 49 cities and other entities. Four communities, two Phase I and two Phase II, contributed to this overview.



MS4 Regulatory Updates

AZDEQ has started a stakeholder process to determine whether the Waters of the US program should be under state delegation.

The state regulator is redefining the definition of a construction project owner under the AZPDES Construction Activity General Permit. The state regulator is also adding an option to file for a no-discharge certification under any AZPDES permit. Both would impact MS4 management significantly.

MS4 Sector Needs

It is challenging to measure the effectiveness of the state's stormwater program with a large number of new Phase II permit holders developing their programs. It is especially difficult

to quantify program results with a high population of seasonal residents. Further, staffing program and funding assistance would be helpful to increase observations and conduct outreach and monitoring.

MS4 Sector Challenges

Assessed water quality standards of metals and bacteria routinely affect exceedance reporting. High levels of both metals and bacteria are measured due to background levels of specific metals, such as copper, and a large amount of fecal matter deposited by birds and other wildlife. In low rainfall areas (less than 10 inches per year), sediments and pollutants accumulate before running off in high concentrations, which produces a heavily weighted first flush contaminant reading.

8

Phase I MS4 permits covering the state's largest population centers and the Arizona Department of Transportation

1

Small MS4 General Permit covering 49 cities and other entities



Trends in Water Quality

Water quality in watersheds throughout Arizona ranges from static to improving. Find more information at static.azdeq.gov/wqd/wqa/appendixf_improvement.pdf.

State Water Quality Rating (1 Poor, 5 Excellent)

Arizona's water quality rating is about a 4. Most state waters are not polluted. However, perennial and intermittent watercourses are few.

Those watercourses are generally in rural areas and not within regulated MS4 communities. Only eight of Arizona's MS4s have been required to collect samples and generally have no issue meeting Surface Water Quality Standards, except for some metals (dissolved copper and total lead) and *E. coli*.

Arizona and New Mexico receive up to half of their annual rainfall during the summer monsoon.

Summer thunderstorms in Arizona can be intense, dumping large amounts of rainwater in a short period of time.



California

The California MS4 permit program is administered by the State Water Resources Control Board and implemented by nine Regional Water Quality Control Boards throughout the State. The Regional Boards write and enforce the permits; the State Board sets the general permit requirements and writes all statewide permits. California is widely viewed as a vanguard state in protecting surface waters within the MS4 NPDES Program. Some of the primary pollution drivers in the state are pesticides, bacteria, trash, metals, and legacy pollutants. Contaminated sediments are also emerging as a prominent issue, particularly in commercial harbor areas. Integration of green infrastructure is well under way in the urbanizing fringe and is beginning in existing urban areas.



MS4 Regulatory Updates

California has amended its Water Quality Control Plans for Ocean Waters of California (Ocean Plan) and for Inland Surface Waters, Enclosed Bays, and Estuaries of California (ISWEBE Plan) to include control of trash. MS4 permit holders must effectively eliminate trash in regulated receiving waters by about 2028. This can be accomplished by treatment controls or a combination of treatment controls and other equivalent measures.

The state is also proposing a control program to protect recreational users from the effects of pathogens in

California waterbodies. The program would be adopted as amendments to the ISWEBE Plan and Ocean Plan. There are ten elements to the standards, including which indicators to use (*E. coli* for inland, *enterococcus* for marine) and implementation options to support modifications based on reference conditions, flow conditions, and limited recreational beneficial uses. The state is reviewing state-specific epidemiological studies that may be relevant to the choice of indicators (e.g., fecal coliform) proposed in the Ocean Plan Amendment.

California is also working on narrative and/or numeric benchmarks describing conditions necessary to protect aquatic life beneficial uses (for macro benthic invertebrates) in perennial, wadeable California streams.

Regionally, the Waters of the US (WOTUS) rulemaking and current EPA interest in MS4 discharges that may impair groundwater quality are important regulatory initiatives California professionals are tracking.

MS4 Sector Needs

The greatest need in California's MS4 sector is program funding. California is somewhat unique in that new taxes or fees may not be imposed without voter consent. This has resulted in stormwater program resources coming almost exclusively from municipalities' general funds. The state recently passed legislation that may ease this burden (SB231), which would effectively enable municipalities to by-pass voters and impose a fee. However, it is likely that application of this legislation for stormwater programs will be challenged in court, so its prospects will be uncertain for a few years until any challenges are resolved.

MS4 Sector Challenges

California's MS4 permits prohibit stormwater discharges from "causing or contributing to the exceedance of a water quality standard." Previous litigation has indicated that this permit provision is interpreted on a stand-alone basis, allowing the state broad discretion to cite MS4 programs it feels are inadequate. Meeting state and federal water quality standards and objectives is the greatest challenge for the MS4 sector.

Trends in Water Quality

Water quality in the state has improved since the inception of the MS4 NPDES program in the early 1990s, when the power of the best management practices (BMPs) was sufficient to reduce pollutants (e.g., on-site source and treatment controls, product reformulations—pesticides, brake pads). Today, progress is stalling as limitations of the current program to mitigate and eliminate remaining pollution sources become apparent. MS4 programs are becoming increasingly expensive to implement, with marginal improvements to water quality coming at an increasing cost.

State Water Quality Rating (1 Poor, 5 Excellent)

California's water quality rating is 2.5. Water in rural, non-agricultural areas is generally good. Water in most urban areas does not completely meet water quality standards and may be impaired for one or more pollutants. Causes of the pollution are aerial deposition, agriculture, and urban runoff.





Indiana

The Indiana MS4 permit program is administered through the Indiana Department of Environmental Management (IDEM). IDEM has issued one Phase I permit to the City of Indianapolis and has an Indiana Administrative Code (IAC) Rule containing general permit requirements covering 187 Phase II MS4s, traditional and non-traditional.

MS4 Regulatory Updates

The state is working with EPA Region 5 to convert its construction, industrial, and MS4 NPDES stormwater permit rules into standard, administrative general permits. These rules have not been updated since 2003, so the new, administrative general permits will contain several new US EPA requirements.

MS4 Sector Needs

Funding is the greatest need for Indiana MS4s. The state's MS4s are expected to pay for and implement complex programs and projects to help improve overall water quality. Program costs are passed down to individual ratepayers or citizens. Only 26% of regulated Indiana counties collect a fee to pay specifically for MS4 programs. Approximately 73 cities and



1

Phase I MS4 permit covering the City of Indianapolis

187

Communities with Phase II MS4 requirements

towns have established stormwater utilities to help offset these expenses. However, Indiana has 108 communities with combined sewer systems, and several stormwater utilities must also help pay to implement Long Term Control Plans for separating combined sewer systems or other combined sewer overflow (CSO) abatement projects.

Indiana MS4s also need clarity to implement various permit requirements, including minimum performance actions for each minimum control measure. For example, there is still confusion about the illicit discharge mapping and screening requirements. While the 2004 Center for Watershed Protection illicit discharge detection and elimination (IDDE) guidance document has been very helpful, MS4s need consistent, clear direction regarding program expectations.

There is an urgent need for follow-up funding or grants to help Indiana's many small communities address septic system issues detected through the MS4 IDDE program. This is a significant problem that occurs in MS4s with populations using older, onsite home sewage treatment systems. The cost of replacing these systems with modern infrastructure is beyond the ability of residents and the local MS4 to finance.

MS4 Sector Challenges

One of the greatest challenges facing Indiana MS4s is implementing post-construction programs. Permits have not mandated specific, targeted goals or standards for this program. Indiana MS4s have developed their own technical standards to help define specific criteria and requirements for their local programs. However, several Indiana communities have received extensive push-back from





developers, contractors, and local design firms over standards that are perceived to be more stringent than what IDEM requires. For example, some MS4s are using 80% TSS removal as their overall standard while others are using channel protection volume.

Trends in Water Quality

State water quality trends depend very much on the location and specific waterbodies being assessed. In the last decade, IDEM has made great progress in the coverage of water quality monitoring throughout the state as well as the organization and management of these data. The 303(d) list of impaired waters is a mixed bag, with some stream segments improving while new problems are identified in others.

MS4 entities are challenged to maintain or improve the quality of receiving waters for stormwater discharges. While illicit discharges are being eliminated by MS4s, there are other sources (agriculture, CSOs, industry) affecting water quality in these receiving waters and potentially obscuring progress made by the MS4 program.

It is very hard to determine if the water quality in Indiana is improving generally, especially considering IDEM's 303(d) list. Over the past few years, several Indiana waters have been de-listed (mostly for *E. coli* impairments), which would imply that water quality is improving. However, IDEM has developed new ways of categorizing and working with data, so it is difficult to understand the primary driver for the de-listings.

MS4 entities have some BMPs or program activities that help reduce E. coli, such as encouraging pet waste pickup; educating homeowner's associations about not mowing their stormwater ponds up to the edge to discourage geese populations; and looking for and eliminating inadvertent crossconnections between separate storm and sanitary pipes. However, it is very difficult to directly correlate these BMPs with overall water quality improvement. The most significant improvement in Indiana resulting from the MS4 program is positive behavioral change of MS4 employees and the general public through robust educational efforts.

State Water Quality Rating (1 Poor, 5 Excellent)

Indiana's state water quality rating is a 2.5. This is mostly due to the number of CSOs occurring in several communities throughout the state. Surface waters in CSO communities can be affected by the overflow of untreated domestic sewage and stormwater runoff. CSOs can contain high levels of suspended solids, bacteria, oxygen-demanding organic compounds, and other pollutants. The presence of these materials in local waterbodies can trigger the exceedance of water quality standards.

The assumption in Indiana is that because MS4 entities are implementing their programs, this helps to improve overall water quality in the state. Currently Indiana does not have clearly identified relationships between baseline data, benchmarks, or wet weather water quality standards that could be used to quantify MS4 program effectiveness. MS4s will have to further evaluate the program data they currently collect to look for trends in overall program improvement.

One of the greatest challenges facing Indiana MS4s is implementing post-construction programs.





lowa

The Iowa Department of Natural Resources (IDNR) administers the state's NPDES stormwater program. The IDNR has issued MS4 permits to 44 communities and three universities in the state.

MS4 Regulatory Updates

Recent changes to the State of Iowa General Permit #2 for construction site runoff control create additional reporting requirements. The changes require reporting of issues that have not been addressed within a 72-hour time frame. Previously, the rule required issues be reported within seven days.

Kansas State Extension (City of Wichita) is enacting a water quality trading program allowing city stormwater quality requirements to be placed within the watershed upstream. This is an innovative watershed-based approach lowa should review. It is receiving support in Wichita due to Kansas' enforcement of its total maximum daily loads (TMDL).

Des Moines Water Works filed a lawsuit against northern drainage districts in three counties claiming the districts are discharging high levels of nitrates into the Raccoon River, the source of the city's drinking water. The lawsuit was dismissed by a federal judge who ruled that lowa's water quality problems are an issue for determination by the state legislature.



44

lowa communities covered by MS4 permits

3

Universities with MS4 permits

MS4 Sector Needs

lowa MS4s will require increased funding and dedicated staffing moving forward. Additional funding could lead to more vigorous inspection and enforcement. Overall, additional funding would enable stormwater programs to provide a greater level of service. Additionally, more public and elected support would increase understanding that all lowans play a role in improving water quality. Greater direction is needed on methods that truly make an impact on water quality. Such methods require widespread public distribution for greater implementation at the residential level.

There needs to be more emphasis placed on public education so that the public understands that what they do affects local water quality. Stormwater programs would benefit from additional

guidance and direction on what types of educational efforts can truly improve public understanding. This would prevent the sector from continuing less effective outreach and help communities spend limited resources on practices that make an impact.

If green infrastructure continues to be encouraged, there should be specific post-construction requirements in MS4 permits for its adoption.

Strong construction site topsoil retention rules are needed statewide. Iowa has a history of educational efforts in urban areas focused on soil management and quality restoration. This outreach emphasizes the importance of restoring soils in reducing runoff volumes and improving water quality.





To continue expanding water quality improvements in lowa, more research is needed to quantify the benefits of BMPs being implemented in urban watersheds.

MS4 Sector Challenges

MS4 challenges in lowa are threefold. First, voluntary efforts to reduce nutrients on both rural and urban landscapes have not produced meaningful improvements. Second, MS4 cities in lowa also face staffing and funding issues.

Finally, departmental turnover in MS4 stormwater programs makes progress difficult, and there seems to be a lack of political will to provide program direction.


Trends in Water Quality

Water quality in lowa may be on the verge of improving in some watersheds where watershed partners are active and an improvement plan is being implemented. However, water quality throughout much of in lowa is static. Sporadic and isolated water quality testing over the last decade has shown essentially constant water quality levels, with no nutrient reductions in many areas.

MS4s play a vital role in reducing nutrients in the urban context.

Proportionally, however, land use in Iowa is overwhelmingly agricultural, creating the biggest impact on water quality. Iowa has a voluntary Nutrient Reduction Strategy, yet while MS4s are regulated, the agricultural community in Iowa is not.

To continue expanding water quality improvements in lowa, more research is needed to quantify the benefits of BMPs being implemented in urban watersheds. There has been a tremendous amount of funding spent assessing the effectiveness of agricultural BMPs. The agriculture sector needs to focus on implementation. On the urban side, very little research has been conducted on the effectiveness of stormwater BMPs in lowa using design



guidance in the Iowa Stormwater Management Manual.

There is still too much importance placed on grey infrastructure systems and nutrient removal at publicly owned treatment works (POTWs).

State Water Quality Rating (1 Poor, 5 Excellent)

lowa's estimated overall score is 1.5. Most surface waters in lowa appear to have some pollution. MS4s in lowa acknowledge their responsibility through regulation within their jurisdictions. Yet, MS4s and POTWs are being held to a different standard than other sources of surface water discharges, including agriculture.

Unfortunately, many MS4s are unable to meet designated uses in surface water systems due to nutrients, bacteria, and other water quality indicators. Additional water quality testing is needed for program feedback and to discern which receiving waters have the most critical issues. Most stream segments in lowa have not been assessed, so the full water quality picture is difficult to characterize. The responsibility for water quality should be proportional between agricultural and urban land uses. MS4s play a role in keeping water as clean as possible, but all users need to do their part. With more than 100 years of development, it will take a long time to mitigate urban influences and impacts on local water bodies in lowa.



Kentucky

The Kentucky Department for Environmental Protection (Kentucky DEP) administers the state's NPDES permit program for MS4s. Kentucky has individual and general permits for stormwater discharges related to industrial facilities, construction activities, and MS4s.

Kentucky issues two Phase I permits to the City of Lexington and Louisville/ Jefferson County and a Phase II general permit covering the entire commonwealth.

MS4 Regulatory Updates

First, the Kentucky Division of Water renewed the Phase II MS4 General Permit with an effective date of May 1, 2018. This permit is for the third five-year permit cycle of the Phase II MS4 program in Kentucky. All Phase II MS4 communities must submit their Storm Water Quality Management Plans (SWQMP) within 180 days of the effective date. The two Phase I communities (Louisville and Lexington) are covered under individual permits.

Secondly, the Kentucky Division of Water has developed a draft Statewide TMDL for Bacteria Impaired Waters. The public comment period ended June 11, 2018.



MS4 Sector Needs

One of the greatest needs in the Kentucky MS4 sector is support for funding at the local level. Many MS4 communities do not have a designated funding source and receive significant push back when attempting to develop one.

There is also a need for statewide education messaging. There is a lack of public understanding of the importance of stormwater management. An effective statewide messaging campaign could inform the public and increase support for programs at the local level.

Phase I MS4 permits covering the City of Lexington and Louisville / Jefferson County

Phase II MS4 permit covering the entire state.

MS4 Sector Challenges

Lack of funding is a major challenge for many MS4 communities. Many MS4 communities do not have the support for developing and maintaining their programs.

Trends in Water Quality

Trends in water quality vary across Kentucky. The number of impaired segments on the state's 303(d) list continues to increase. However, this is due in part to the assessment of previously unassessed streams. There have been improvements in certain areas due to permit implementation. MS4s continue to be impacted by numerous nonpoint sources outside of their designated service areas, which can make monitoring improvements due to permit implementation very difficult.

State Water Quality Rating (1 Poor, 5 Excellent)

Kentucky's state water quality rating is a 2.5. Bacteria, sediment, and nutrients continue to be listed as the major causes of impairments. The state has some streams in less impacted areas that are meeting water quality standards. These Special Use Waters have additional protections for uses such as cold-water aquatic habitat and outstanding state resource waters.

One of the greatest needs in the Kentucky MS4 sector is support for funding at the local level. Many of the state's MS4 communities do not have a designated funding source.






Maine

Maine's Department of Environmental Protection (Maine DEP) regulates stormwater programs under the Maine Waste Discharge Law. A waste discharge license is required for the discharge of pollutants to Maine's environment. There are several general permits that the Maine DEP administers — including the Multi-Sector General Permit, the MS4 General Permit, and the Maine Construction General Permit — that cover a wide variety of activities.

Maine has an active stormwater community largely catalyzed by consistent issuance and reissuance of the MS4 General Permit (small MS4) since 2003. Maine is currently scheduled for its fourth permit renewal in the summer of 2018. Maine has 30 regulated communities and ten "nested" or "nontraditional" MS4s all of which are located around four primary population centers in Maine. Each of the clusters collaborate and share resources, and are, in some cases, incorporated as non-profits. There are significant regional differences across the regulated clusters, for example coastal communities compared to inland freshwater communities.

Maine has exceptional water resources with over 55,000 miles of rivers and streams, 6,000 lakes and ponds, and over 3,000 miles of tidal shoreline. The water resources of Maine are a primary driver for the state's tourism economy. Maine's primary stormwater-based pollution challenges are: (1) freshwater and coastal bacteria and their impact on shell fishing and swimming; (2) chlorides (a challenging threat given the obvious need for public safety in the winter); (3) nutrients in both fresh and salt water; and (4) ocean acidification, which is emerging as another issue for state shell fisheries. Trash also threatens water quality in many of Maine's coastal communities.



MS4 Regulatory Updates

Regional Issues: Regulated MS4s in southern Maine discharge into the Piscatagua River and Great Bay Estuary, the latter of which is the shared boundary with New Hampshire and other regulated MS4 dischargers. New Hampshire is a non-delegated state that has been operating under a 2003 MS4 General Permit that was recently updated, effective July 1, 2018. There is limited, but potentially increasing, crossstate cooperation on stormwater and water quality, given the differences in permit program development. There are numerous other multi-state and Tribal Lands regional issues in water quality, but generally, these are not related to regulated stormwater dischargers.

MS4 General Permit: Maine is currently proposing a revised MS4 General Permit that will include a two-step permitting process to address the Remand Rule, which requires "clear, specific, and measurable" language be incorporated into all future updated MS4 permits. Consistent with a recently announced, updated MS4 General Permit in Massachusetts and New Hampshire (both non-delegated), there is increasing focus on illicit discharges and revisions/ refinements to Construction Erosion and Sediment Control (ESC).

Residual Designation Authority (RDA):

Maine's Long Creek watershed is one of the rare water bodies where the US EPA has exercised its RDA to regulate stormwater discharges not otherwise subject to NPDES requirements.

Maine Stormwater Law and Rules:

Maine's Stormwater Management Law lists the standards that apply to projects affecting more than one acre of disturbed

area. Disturbed area generally includes those areas stripped, graded, excavated, or filled during construction. The Stormwater Management Law includes standards for both the quantity and quality of stormwater runoff. Maine DEP rules (Chapters 500-502) establish standards applicants needing a stormwater permit must meet. The standards are more restrictive in certain watersheds, including those of "urban impaired streams," which are often located within the boundaries of regulated MS4s.

Impervious Cover TMDL: Maine has adopted a state-wide impervious cover TMDL that was approved by the US EPA in 2012. For the 29 watersheds addressed by this TMDL, percent effective impervious cover serves as a surrogate for the mix of pollutants in stormwater. The purpose of these TMDLs is to address impaired aquatic life use in streams receiving a mix of regulated and unregulated urban stormwater.

MS4 Sector Needs

Dedicated funding for municipal stormwater management and urban watershed restoration implementation is the greatest need in Maine's MS4 sector. Only three of the 30 regulated MS4 dischargers have a stormwater user fee providing a dedicated revenue stream for stormwater compliance and drainage system management. The State of Maine does not currently have a dedicated "Clean Water" fund to assist municipalities with stormwater program or capital project implementation. Periodically, bonds are floated for water resources work, but these are limited in funding and scope, Clean Water State Revolving Funds are rarely used for stormwateronly projects in Maine, but they are used for CSO abatement, which is increasingly

recognized as a stormwater problem. Additionally, due to limited funding at the state level for impaired water research (Section 305(b) and 303(d) programs), MS4 dischargers lack clearly understood or defined implementation strategies for restoration associated with TMDLs.

Increased cooperation between Maine DEP and regulated MS4s is needed, particularly in construction site authority and enforcement. There are challenging disconnects in some cases between state stormwater law, the state construction general permit, and MS4 permittee authority and enforcement processes. When the state elects not to pursue enforcement, regulated MS4 entities find their authority under local regulations to be questioned or insufficient when faced with non-compliance.

There is limited political support for "stormwater" despite flooding and increasing concerns about the effects of sea level rise on low-lying communities. There is generally an underappreciation for the function and value of municipal stormwater drainage assets. This lack of understanding about drainage system assets also creates a disconnect between resiliency planning and stormwater compliance planning that, if improved, could benefit program managers on both sides of the issue.

MS4 Sector Challenges

The state's MS4 General Permit contains explicit outreach and education requirements that include effectiveness testing, which is a significant challenge for permittees.

Maine, like much of the northeast, has very old municipal drainage and sewer infrastructure, and in many of the regulated MS4 communities, this infrastructure includes combined sewers. While significant abatement of CSOs has taken place, these old storm and sanitary collection systems create an increased threat for illicit discharges. The need for significant rehabilitation further pressures municipal clean water budgets.

Another significant challenge in Maine is how to address chlorides associated with winter snow management. Chlorides are an increasing risk to surface water and groundwater drinking water resources. They are creating a dilemma for stormwater managers about whether infiltration and filtration stormwater controls are more of a risk than a benefit in and around coastal/tidal water resources.

Trends in Water Quality

As in most states, Maine has several trends depending on the water resource. However, the consensus is that state waterways are static to improving. Maine's lakes are ranked third, only behind Alaska and Montana, in Secchi disk readings for water clarity. Since 1987, Maine has moved close to 6,000 miles of stream from Class C to Class B, with 99 percent of all mapped streams as Class B or better. Maine has reduced CSO discharges from approximately 6 billion gallons in 1987 to 290 million gallons per year. The state has greatly improved water quality in its several large inland rivers. Forty years ago, these lakes were considered the "most polluted in the nation" and in part formed the impetus for enacting the Clean Water Act (introduced by Edmund Muskie, a former US Senator from Maine). Coastal conditions, such as eelarass bed viability and other biological criteria, native shell fishery declines, and bacterial closures, are an increasing challenge although these issues are not entirely related

to stormwater quality. Development in southern Maine is impacting water quality and biological criteria in small urban watersheds, with increasing impairments and challenging, costly, and untested restoration scenarios.

State Water Quality Rating (1 Poor, 5 Excellent)

Maine's state water quality rating is a 4. Statewide, Maine has excellent water quality, but there are still many challenges, particularly for urban impaired stream watersheds within the boundaries of MS4s. MS4 activities are helping to address some of the issues identified in above but have limited quantifiable data to measure improvements associated with non-structural and programmatic stormwater management measures.

Long Creek RDA

The 3.5-square-mile Long Creek watershed is located in four municipalities. This urban stream system is a Class C stream but does not meet the biological water quality standards for this classification. Long Creek has been the subject of many studies and reports suggesting that urbanization has significantly impaired the stream's health and its ability to support recreation and wildlife. Water quality impairments are a result of increased concentrations of metals, chloride, phosphorus, nitrogen, polycyclic aromatic hydrocarbons, and reduced dissolved oxygen concentrations. There are no regulated wastewater discharges in the watershed, only stormwater and other nonpoint sources.

In 2009, the US EPA exercised a provision in the Clean Water Act, known as RDA, which requires stormwater permitting for designated discharges in the Long

Creek watershed. The resulting permits, a collaboration between EPA and Maine DEP, require "an operator of property...to obtain a Maine Pollutant Discharge Elimination System permit" for any parcel or property in the Long Creek watershed with one or more acres of impervious cover. This precedent-setting use of the RDA provision led to the establishment of the Long Creek Watershed Management District and a corresponding annual impervious cover fee.

The Long Creek General Permit was implemented on behalf of 89 permittees that manage 88 percent of the watershed's impervious cover and 98 percent of the total regulated impervious cover. The permittees include:

- 83 private landowners, primarily commercial and retail properties with impervious cover from rooftops to driveways, sidewalks, and parking lots
- Three of the four municipalities, whose impervious cover consists primarily of roads and sidewalks
- Maine Department of Transportation and the Maine Turnpike Authority
- Ecomaine, a regional waste management facility providing recycling and wasteto-energy services for a number of southern Maine municipalities






Massachusetts

Massachusetts is one of only four states not delegated authority for the NPDES program by the US EPA. In Massachusetts, the NPDES MS4 permit is jointly issued by EPA Region 1 with the Massachusetts Department of Environmental Protection (MassDEP). Massachusetts has had one MS4 permit, issued on May 1, 2003 for MS4 operators located in the states of Massachusetts and New Hampshire. This permit covers 260 towns and cities as well as nontraditional MS4s like state universities. This permit expired on May 1, 2008 but has been administratively continued until a new permit is issued.

MS4 Regulatory Updates

From 2008–2010, the US EPA issued three separate draft Small MS4 General Permits to replace the 2003 MS4 permit. The US EPA issued a new draft permit in 2014 and finalized it in 2016. The 2016 Massachusetts Small MS4 General Permit was signed April 4, 2016 with an original effective date of July 1, 2017. This new permit will cover 270 towns and cities.

Several municipal, industrial, developer, and environmental groups filed appeals of Massachusetts' 2016 permit as well as the



2017 New Hampshire MS4 permit, which is similar. Appeals for the Massachusetts and New Hampshire MS4 permits were consolidated in the federal circuit court in D.C. In response to the appeals and requests from municipalities, the US EPA issued a 1-year postponement of the effective date. The Massachusetts Rivers Alliance filed a suit against the US EPA to overturn the permit postponement. In 2017, the National Association of Clean Water Agencies (NACWA) took over the legal aspects of the appeal because of common issues of concern — that the US EPA did not have the authority to require strict water quality standards beyond the Maximum Extent Practicable standard. The appeals are currently in mediation.

EPA Region 1 issued a press release on May 10, 2018 stating that the permit will go into effect on July 1, 2018.

There are several interesting elements to this new MS4 General Permit.

- Permittees that discharge into impaired or TMDL waters are obligated to implement additional, specific BMPs for applicable areas within the regulated MS4 area. One such obligation is for the Long Island Sound, which is obviously outside the direct jurisdiction of the Commonwealth of Massachusetts.
- Several ponds and the Charles
 River watershed have specific total
 phosphorus reduction requirements,
 and the allowable structural and
 non-structural BMPs are included
 directly within the permit (as opposed
 to a reference document outside of
 the permit). This will create rather
 inflexible management options for
 applicable communities. Several of
 the TMDL requirements are for a 10 year period despite being included in
 a 5-year permit.
- IDDE requirements are very specific, requiring several pages in the permit. The requirements obligate every regulated community to investigate and conduct sampling (if there is dry weather flow) for indicator pollutants in 100 percent of their MS4 over 10 years. For many communities, this will likely be a very difficult task.
- IDDE requirements also direct dry
 weather and wet weather in many
 cases sampling for chlorine,
 surfactants, bacteria, and ammonia
 at every outfall with additional
 sampling requirements for outfalls that
 discharge directly into impaired waters
 for other "pollutants of concern."





MS4 Sector Needs

In the Massachusetts' MS4 sector, the greatest needs are funding, building awareness among the general public and elected officials, regional collaboration, and technical support for MS4s on such topics as mapping, outfall inspections, and IDDE sampling.

MS4 Sector Challenges

Lack of funding is one of the greatest challenges facing Massachusetts' MS4 sector, especially given the state's aging storm and sanitary sewer infrastructure. There is also a lack of awareness of stormwater issues and understanding of associated costs. The state's municipalities will need to meet evolving regulatory requirements for TMDLs and impaired waters, and finally, there is the challenge of coordination among municipal departments for permit compliance.

Trends in Water Quality

Massachusetts waters appear to be static to improving, depending on the waterbody. EPA Water Quality Report Cards have shown improvements in urban waters, specifically in the Charles and Mystic Rivers, which are two major river systems in the most urbanized areas of Massachusetts. Report cards have not been created for less urbanized areas of the commonwealth with less active watershed associations, so it is harder to evaluate their water quality.

State Water Quality Rating (1 Poor, 5 Excellent)

The Statewide Municipal Stormwater Coalition would rate Massachusetts' water quality as a 3, neither good nor bad. More than half of the commonwealth's rivers and streams fail to meet water quality standards. According to the EPA, stormwater discharges are causing or contributing to at least 55 percent of impairments in all Massachusetts' assessed waters.

The most recent 2017 Massachusetts Beach Testing Results: Annual Report by the Massachusetts Department of Public Health reported, "The overall low exceedance rates [for water quality standards sampling based on bacteria] indicate that Massachusetts beaches have generally high water quality... Rainfall and pollution sources at sampling sites were identified as two important factors that contributed to elevated bacteria levels at recreational waterbodies. As seen in previous years, the number of exceedances dropped exponentially as the days since rainfall increased."

Based on this information, polluted runoff from MS4 and combined sewer systems appear to be leading causes of water quality issues. EPA Water Quality Report Cards have shown improvements in urban waters, specifically in the Charles and Mystic Rivers.





Minnesota

The state delegated MS4 permitting authority is the Minnesota Pollution Control Agency (MPCA). The state's MS4 permits include:

- 2 Phase I cities Minneapolis and Saint Paul
- 172 Phase II cities
- 27 townships
- 15 counties
- 22 colleges and universities
- 9 watershed districts
- 3 jails
- 2 MnDOT
- 2 federal hospitals

The MS4-permitted cities have formed the Minnesota Cities Stormwater Coalition, which is directly affiliated with the League of Minnesota Cities. About 68 percent of the state's population live in cities covered by an MS4 permit.

MS4 Regulatory Updates

The state's two Phase I individual permits were reissued in the last year, and MPCA is expected to reissue the MS4 General Permit in late 2018 or early 2019. This will be Minnesota's fourth general permit, with past permits issued in 2003, 2006, and 2013.



Minnesota has two remarkable examples of state-wide source control initiatives—a restriction on phosphorus in lawn fertilizer and a ban on the sale and use of coaltar-based sealcoat (formerly used on driveways and parking lots).

The MPCA manages a robust stormwater program, with staff levels for all NPDES stormwater permitting programs between 15 to 25 people since 2003. In conjunction with a broad-based stakeholder group, the Minnesota Stormwater Steering Committee (no longer exists), the state created and maintains the web-based Minnesota Stormwater Manual. (stormwater.pca.state.mn.us/index.php/Main_Page).

The MPCA regularly performs local MS4 program audits. When deficiencies are found, the MPCA works with the

permittees to improve their programs and correct the deficiencies. In rare instances, where a permittee has neglected an entire category of their permit responsibilities, the MPCA has issued fines based on audit results.

The state's first MS4 General Permit was challenged in court by the Minnesota Center for Environmental Advocacy. As a result of that court ruling, the MS4 General Permit has since 2006 included provisions addressing antidegradation. MPCA must also review and provide public notice for every MS4 General Permit application and associated local Stormwater Pollution Prevention Plan (SWPPP). After receiving, reviewing, and responding to comments as well as possible revisions to the SWPPPs, the MPCA approves the submitted documents. This process matches the Option 2 process, or "Procedural Approach," listed in the relatively recent federal MS4 Remand Rule.


MS4 Sector Needs

As is the case for municipalities across the US, more funding is needed for local programs and implementation. According to the 2017 Western Kentucky University Stormwater Utility Survey, Minnesota has 197 stormwater utilities, the highest number of such utilities in any US state.

The MPCA recently completed the 2017 MS4 Technical Assistance and Outreach Needs Survey. The results can be found online at: stormwater.pca.state.mn.us/index.php?title=2017_MS4_Technical_Assistance_and_Outreach_Needs_Survey_Results.

The is also a perceived need for more urban stormwater research. The nonprofit Minnesota Stormwater Research Council

According to the 2017
Western Kentucky University
Stormwater Utility Survey,
Minnesota has 197
stormwater utilities, the
highest number of such
utilities in any US state.



(MSRC) was established in 2016 to:

- Facilitate the completion of needed applied research that enables more informed decisions about the use, management and protection of water resources in urbanized areas.
- Periodically assess the status of research, identify consensus research priorities, and communicate these priorities to Minnesota's public and private research agencies and organizations.
- Promote coordination of research goals, objectives, and funding among research agencies and organizations.

The MSRC is an independent organization of stormwater professionals, practitioners, managers, engineers, researchers, and others currently operating as an unincorporated association with the University of Minnesota Water Resources Center as the fiscal agent. Learn more at www.wrc.umn.edu/msrc.

MS4 Sector Challenges

MS4 permittees in Minnesota are facing significant challenges in complying with TMDL wasteload allocations. A 2017 report by Minnesota Management and Budget estimated that meeting wasteload allocations will cost the state's MS4 cities \$317 million per year.

Further, there is concern about contamination of constructed stormwater pond sediments by polycyclic aromatic hydrocarbons (PAHs). MS4 cities have counted and reported more than 14,000 constructed ponds and wetlands in about 160 Minnesota cities. Over multiple MS4 permit cycles, permittees will be required to assess their ponds to see if the ponds

are still deep enough to perform their water quality functions. Where the depth has been lost because of sedimentation, the ponds will need to be dredged. PAH levels in some pond sediments are sufficient to require disposal of the dredgings in lined landfills. The extra cost for this disposal is estimated in the range of \$1 to \$5 billion. This is a huge problem for which MS4s do not currently have a solution.

Trends in Water Quality

About 40% of waters assessed in Minnesota are impaired. Through a constitutional amendment passed in 2008, Minnesota established the Clean Water Fund. The fund is a revenue stream of close to \$100 million per year designated for protecting and restoring waterbodies throughout the state. (www.legacy.mn.gov/clean-water-fund)

Minnesota is also protecting and restoring water quality through NPDES permitting programs and watershed districts.

These efforts have countered negative water quality trends due to urbanization, resulting in neutral or slightly positive water trends in urban and suburban areas.

Agriculture remains unregulated and problematic in other portions of the state. Tile drainage on a massive scale, along with loss of wetlands and more intense storms, have resulted in increased stream and river flows that cause large-scale bank failures and erosion. Agricultural fertilizer is also causing increased nitrate levels in groundwater in various locations around the state.

State Water Quality Rating (1 Poor, 5 Excellent)

Water quality in Minnesota is rated 3 on a scale of 1 to 5. Minnesotans highly value their water and recognize that water quality problems and solutions are complex and challenging. They are wiling to support and participate in protecting and restoring water quality statewide through their financial support, behavior changes, collective engagement, local government regulation, and political backing. The MS4 program in Minnesota is strong and productive, a great example of what can be achieved through relatively simple and flexible regulations combined with largely voluntary compliance and local creativity.

Minnesotans highly value their water and recognize that water quality problems and solutions are complex and challenging.





Nebraska

The Nebraska Department of Environmental Quality (NDEQ) administers the state's NPDES stormwater program. NDEQ has issued two Phase I Individual MS4 Permits and one Phase II Individual Permit. It also has issued two MS4 General Permits covering 26 cities, counties, or other entities.



MS4 Regulatory Updates

NDEQ reissued two MS4 General Permits with an effective date of July 1, 2017 for Phase II permittees. These two general permits have identical requirements but different coverage areas. NDEQ reissued one Phase II individual permit to Omaha effective January 1, 2018; one Phase I individual permit to the Nebraska Department of Transportation effective April 1, 2018; and Lincoln's Phase I individual permit will be reissued soon. As required under the MS4 Remand Rule, all stormwater management plans (SWMPs) for Phase II communities were placed on public notice and review, a new update to the program.

MS4 Sector Needs

The greatest current need for Nebraska MS4 permittees is guidance in the form

of compliance assistance from the state and other regulatory entities to ensure that programs are well managed and stormwater discharges are protective of water quality. Working partnerships between the state and permittees has improved over the last few years. However, MS4 permittees need resources to help with developing post-construction standards and projects, IDDE sampling procedures and forms, and MS4 training.

MS4 Sector Challenges

One major challenge for Nebraska MS4 communities is funding for stormwater program management, improvements, and enforcement. The MS4 program was enacted as an unfunded mandate in federal requirements. Permittees have faced difficulties enacting stormwater utility fees, though some MS4 programs have successfully implemented fees.

Recently submitted SWMPs from permittees will aid in compliance with NDEQ and federal requirements, though the MS4 communities must ensure they have all required tools and enforcement mechanisms.

Trends in Water Quality

NDEQ maintains a fixed-station ambient stream monitoring network with approximately 97 locations sampling monthly. NDEQ also conducts basin rotational monitoring. The results from 2002–2014 have placed all but one stream basin in the fair or above water quality index (above 50). Over half of the basins are rated good (70-80), and one is rated as excellent (White Hat). However, in five basins, total nitrogen is trending upward, with only one river basin trending down. Two basins show increasing total phosphorus trends while a decrease was observed in three basins.

State Water Quality Rating

According to Nebraska's 2018 Water Quality Integrated Report, 208 of the state's 329 (~63 percent) lakes assessed are listed as impaired, and 276 of the 627 (~44 percent) stream segments assessed are listed as impaired. The most common impairments for lakes were nutrients, fish consumption, chlorophyll a, high pH, low DO, and bacteria. The most common stream impairments were bacteria, aquatic community, atrazine, fish consumption, and low DO. In Nebraska, the most common TMDLs are for fecal coliform and E. coli.

The greatest current need for Nebraska MS4 permittees is guidance in the form of compliance assistance from the state and other regulatory entities to ensure that programs are well managed and stormwater discharges are protective of water quality.





Ohio

The Ohio Environmental Protection Agency (Ohio EPA) issues MS4 NPDES permits in the state. There are four individual MS4 permits for the cities of Dayton, Toledo, Akron, and Columbus. Ohio also has a Phase II general permit with about 275 permittees, not including co-permittees. The Ohio EPA also administers the Construction General Permit, Industrial Storm Water General Permit, and a Marina Storm Water General Permit.

MS4 Regulatory Updates

Locally and statewide, there is a need for: (1) more details and clarity on performance standards for each minimum control measure (MCM); (2) additional direction and clarity on measurable goals and documenting MCMs, BMP implementation, and water quality successes; (3) permit guidance on the potential for partnering to address post-construction control requirements with other entities via inlieu fees or other mechanisms.

MS4 Sector Needs

Sustainable funding mechanisms would enable municipal and non-traditional



regulated MS4 entities in Ohio to implement proper program resource planning and forecasting.

Elected official support is always critical.

Further, more flexibility in the permit process would benefit regulated entities, as they could submit alternative approaches that are demonstrably as restrictive as the permit requirements. Entities with general permits need the ability to mold their programs to fit their unique challenges, whether those challenges relate to staffing, finances, or other issues.

Given increases in development and impervious areas, there should be an increased emphasis on flow-based controls as well as mechanisms incentivizing those who disconnect or reduce impervious cover.

Flooding and stormwater runoff are becoming increasingly integrated, blurring the line between these events. A funding mechanism that addresses both flooding and stormwater could be beneficial for the state MS4 sector.

MS4 Sector Challenges

Lack of funding continues to be a major issue, which leads to a limited ability to plan or forecast program needs, objectives, goals, and targets. Additionally, limited regulatory staffing has made it difficult for Ohio to follow up on previous TMDL studies and implement enforcement actions in the watershed.

Another significant challenge in Ohio is the disconnect between urban and agricultural runoff. There is a lack of fair and equitable water quality requirements that integrate agriculture into the stormwater equation.

Trends in Water Quality

Water quality trends in Ohio are relatively static. Ohio is a water-rich state with 290 miles of shoreline on Lake Erie and more than 23,000 miles of rivers and streams. According to the 2018 Integrated Water Quality Monitoring and Assessment Report (IR), water quality in Ohio's large rivers remained essentially unchanged compared to the 2016 IR. Currently, 87.5 percent of assessed large river units meet full attainment for aquatic life use. Smaller streams, however, are improving, with the percent meeting attainment increasing by 3.2 percent from the 2016 IR. Most aquatic life impairment is caused by sediment, nutrients, habitat modification, hydromodification, and organic enrichment due to land disturbances related to agriculture activities and urban development.

Algae is an issue of concern in Ohio and the state is actively working to address nutrients in Lake Erie. Of 119 public drinking water supply assessment units, 37 are listed as impaired by algae and another 17 are on the algae watch list. Ohio is also proposing to list the shorelines and open water in the western basin of Lake Erie as impaired for recreation use due to algae.

State Water Quality Rating (1 Poor, 5 Excellent)


Ohio's state water quality rating is a 2. The MS4 program has provided some benefit, but limited funding has introduced a ceiling on what can be accomplished. To move the needle forward in a meaningful way, stormwater runoff should be viewed holistically and address the connections between urban, rural, agricultural, linear, and industrial elements.





Pennsylvania

Pennsylvania Department of Environmental Protection's (PADEP) Bureau of Clean Water (BCW) administers the NPDES permitting and compliance monitoring programs for industrial, municipal, and construction stormwater in Pennsylvania. In the commonwealth, there are two large MS4s, no medium MS4s, and 953 small MS4s. BCW also oversees implementation of the Stormwater Management Act (Act 167), which requires counties to prepare and adopt watershed stormwater management plans, in the PADEP's regional offices.



MS4 Regulatory Updates

Municipalities are beginning to receive their new 2018 MS4 permits, which now require Pollutant Reduction Plans. These plans are required for MS4s that discharge nutrients and sediments to an impaired waterway or the Chesapeake Bay. Municipalities are starting to consider implementation of projects under their Pollutant Reduction Plans. Stream restoration is a popular BMP. To ensure the success of these projects, it is important for municipalities to have access to technical resources and experienced contractors.

MS4 Sector Needs

One of the greatest needs in Pennsylvania's MS4 sector is funding, through stormwater fees and authorities as well as state grants. Up-to-date, state-wide guidance for integrating new technologies is also needed, as the state's last PADEP BMP manual was published in 2006. The sector is also in need of optimum designs for green infrastructure that include cost-benefit analyses. Further, fostering municipality recognition of the importance of stream water quality monitoring (before and after projects) would help to guide activities.

MS4 Sector Challenges

Integrating water quality requirements is one of the greatest challenges facing Pennsylvania's MS4 sector. More guidance is needed on how to address sewer overflows and stormwater management in an integrated fashion while producing the greatest, most costeffective outcome for water quality. The state's MS4 sector is in the initial stages of planning at the watershed scale rather than confining decision making to municipal borders. Initial conversations between municipalities on contributing to a central, watershed-wide fund for projects could lead to a better approach that enables the sector to be more flexible and targeted in siting projects. Finally, factoring changes in the intensity of rainfall events into design is another important challenge facing the sector.

Trends in Water Quality

No information at this time.

State Water Quality Rating

Monitoring information in PADEP's 2016 Final Pennsylvania Integrated Water Quality Monitoring and Assessment Report indicates that, of the commonwealth's 86,000 miles of rivers and streams, 66,565 miles support designated aquatic life use. The four largest sources of reported impairment for aquatic life are agriculture, abandoned mine drainage, urban runoff/storm sewers, and habitat modification. The leading causes are siltation, metals, pH, nutrients, and water/flow variability.

Phase I MS4s

953
Phase II MS4s





Tennessee

The Tennessee stormwater program is administered by the Tennessee Department of Environment and Conservation (TDEC). TDEC administers four Phase I MS4 permits to the cities of Knoxville, Nashville, Memphis, and Chattanooga.

Tennessee issued the third iteration of the Small MS4 General Permit on September 30, 2016, effective October 1, 2016. There are 99 small MS4s under the general permit, including seven copermittees with Hamilton County and an individual Phase II permit for TDOT. The permit and all associated documents may be found on TDEC's Permit Data Viewer at environment-online.state.tn.us:8080/pls/enf_reports/f?p=9034:34051:::NO:34051::P34051_PERMIT_NUMBER:TNS0000000.

MS4 Regulatory Updates

In 2018, Tennessee revised its Water Quality Control Act to limit permit requirements for post-construction stormwater discharges to the minimum protection demanded by EPA rules. The act was similarly revised to restrict permit requirements for animal production operations to the minimum protection required by EPA regulations.



Background: The state and a group of MS4s from across Tennessee worked with the US EPA to be one of the first states to require a one-inch runoff reduction standard under the post-construction minimum measure in the 2010 Phase II general permit. This standard continued into the 2016 permit.

This specific requirement of the Phase II permit is currently under appeal by both the National Homebuilders Association and water quality groups in Tennessee. The hearing has been postponed to November of 2018.

The Tennessee General Assembly passed a law this year (Public Chapter No. 496) stating that:

...These numeric or narrative effluent limitations to manage post-construction Stormwater shall be adopted by the board as rules pursuant to the Uniform Administrative Procedures Act, compiled in title 4, chapter 5...; and ...No NPDES permit regulating a local government entity's municipal separate storm sewer system shall be issued

Phase I MS4 permits covering the cities of Knoxville, Nashville, Memphis, and Chattanooga.

Small MS4
General Permits

pursuant to § 69-3-108, until after the rules required by Section 1 of this act take effect...

This does not affect the current Phase II general permit cycle, but the rules will have to be promulgated by TDEC prior to issuance of any future Phase I or II NPDES MS4 permit.

MS4 Sector Needs


Tennessee MS4s need resources in terms of staffing, technical support, and budget for projects. Some innovative MS4s have been able to establish user fee programs, which will be a significant improvement.

Approximately 35 programs have implemented fees, with new ones being

initiated annually. Flooding concerns along with inadequate and deteriorating stormwater infrastructure precipitates community acceptance for fees.

Tennessee does have enabling legislation that authorizes stormwater fees (TCA 68-221-1101).

However, in general, the role and importance of MS4 operations are often not understood or appreciated by local government leaders or the public. The MS4 mission of protecting public and ecological health, as well as safety and property, gets over-simplified as drainage maintenance. MS4s are working to change that through education and public participation events. Public support is so critical to MS4 program effectiveness in Tennessee and across the country.



Additional training for stormwater managers in effective communication with elected officials and with the public would be very beneficial to MS4s.

MS4 Sector Challenges

Many of Tennessee's urban areas continue to experience significant population growth along with development and densification. Urban watersheds are under intense pressure from land use conversion, construction site runoff, and loss of headwater streams.

MS4s are working to educate their communities on the importance of stormwater controls and floodplain management. However, stormwater managers along with engineers, planners, and designers are still learning how to properly design, review, and approve post-construction stormwater control measures (runoff reduction). These professionals need long-term maintenance and effectiveness data to improve annual reporting as well as tracking and documentation of stormwater control measures. An additional and consistent challenge is having the personnel to inspect, track, and enforce the implementation and maintenance of stormwater control measures.

Trends in Water Quality

Water quality is only partly related to the effectiveness of permitting programs. The dominant source of impairment in Tennessee, like most states, is unregulated agriculture. Improvements in that area are coming from education and development of new technologies and methods for production.

Significant efforts are being made to better manage municipal wastewater,



which is an improvement. Tennessee's urban populations are seeing fewer sanitary sewer overflows. On the other hand, the state is losing green space and headwaters to rooftops and pavement, which will have its own set of consequences for water quality.

Overall, waters are improving where the state is improving systems and controls. Water quality is declining where the state experiences the uncontrolled consequences of growth.

State Water Quality Rating (1 Poor, 5 Excellent)

The best reference for the quality of waters in Tennessee is the state's 305(b) report, The Status of Water Quality in Tennessee.

Based on the state's report, the ranking of 3 on a five-point scale may be appropriate. The state's waters are almost entirely unimpaired for the uses of domestic water supply, industrial water supply, irrigation, and navigation.

In contrast, 40 percent of assessed waters fail to support fish and aquatic life, and almost half of the assessed waters in Tennessee are impaired for recreation. Tennessee's most recent 305(b) report identifies MS4 discharges as the fourth leading source of impairment to the state's streams, trailing only animal agriculture, channelization, and crop production. MS4 discharges are by far the leading pollution source in Tennessee that is subject to regulation.

View the 305(b) report at www.tn.gov/ content/dam/tn/environment/water/ documents/wr_wq_report-305b-2014.pdf.



The MS4 mission of protecting public and ecological health, as well as safety and property, gets over-simplified as drainage maintenance.




Utah

The Utah Division of Water Quality (DWQ), a division of the Utah Department of Environmental Quality, is actively engaged with MS4 permittees to develop stormwater programs that address permit requirements. There are 91 permittees in Utah that are covered by one of the following four Utah Pollutant Discharge Elimination System (UPDES) permits:

- Modified General Permit for Discharges from Small MS4s, UTR090000 (Dec. 2016)
- Jordan Valley Municipalities, UTS000001 (Sep. 2013)
- Salt Lake City, UTS000002 (Feb. 2015)
- Utah Department of Transportation, UTS000003 (Dec. 2015)

MS4 Regulatory Updates

Currently, permittees are required to develop specific hydrologic methods to calculate runoff volumes and flow rates to treat runoff from a specific design storm. However, the December 2016 Small MS4 Permit also contains a provision that will require permittees to retain the 90th percentile volume onsite by March 2019. It is anticipated that similar prescriptive requirements will be found in other future MS4 permits.



MS4 Sector Needs

One of the greatest needs in Utah's MS4 sector is unity. The vastly different design, construction, and post-construction standards — or level of implementation of these standards — is fostering misunderstanding by the development community regarding water quality requirements. This results in inconsistent implementation of MS4 permit programs. However, a major challenge to unification is answering to the varying local opinions and practices of permittees as well as the unique geologic and economic MS4 conditions throughout the state.

Funding is also a need throughout the state. Although most municipalities have developed stormwater utility fees to fund stormwater management programs, new permit requirements could result in the need for more robust programs that require additional funding. Possible sources of funding include municipality general funds that have typically been channeled to stormwater programs through public works, public utilities, or maintenance divisions.

MS4 Sector Challenges

Implementing the retention standard could require a major paradigm shift from high-back curb and gutter, pipes, and detention ponds to urban infrastructure that looks much different. Successful acceptance of new low impact development (LID) designs by development as well as municipal economic and development departments could be challenging. Sample LID ordinances would be helpful to municipal leaders.

Trends in Water Quality

Awareness of water quality is improving, and as such, implementation is also improving. The Utah Storm Water Advisory Committee (USWAC) is perhaps the state's most valuable stormwater organization. The committee provides an opportunity for representatives from each permittee throughout the state to meet once a month with the DWQ to discuss permit-related issues and facilitate solutions. As a result, the DWQ recently announced that an LID manual will be developed within the year. It will serve as a guide for small MS4 permittees, providing decision-making and design assistance in the areas of greatest need.

State Water Quality Rating (1 Poor, 5 Excellent)

Utah's state water quality rating is a 3. Of the 901 waters assessed in Utah's 2016 Integrated Report, 25 percent support assessed or designated uses; 37 percent are either impaired or have an approved or required TMDL; and 37 percent have insufficient data. The impairments behind the TMDLs could help MS4s interpret their pollution sources, but the TMDL is not intended to identify activities generating the pollutants. At this point, permittees' impact on receiving waters with respect to allowable effluent concentrations is unknown. With more prescriptive retention and monitoring requirements appearing in MS4 permits, it is expected that the DWQ will have a better understanding of permittees' impact in the coming years.





Virginia

The Virginia Department of Environmental Quality (VDEQ) is the lead agency for developing and implementing statewide stormwater management and nonpoint source pollution control programs to protect the commonwealth's water quality and quantity. As authorized under the State Water Control Law and the federal Clean Water Act, the Virginia Pollutant Discharge Elimination System (VPDES) permitting program regulates point source pollution.

MS4 Regulatory Updates

VDEQ is scheduled to reissue MS4 General Permit regulations effective 2018 – 2013 for Phase II permittees. Individual MS4 Phase I permittees are scheduled to begin receiving reissued permits. The Chesapeake Bay TMDL, developed by the US EPA for six states and the District of Columbia in the 64,000-square mile watershed, is the largest TMDL of its kind. Portions of Virginia drain to the Chesapeake Bay and must meet Chesapeake Bay TMDL pollution reduction targets for nitrogen, phosphorus, and sediment. These pollution reduction targets are enforced through the special conditions of each successive permit and started in 2013 with reissuance of general and individual permits. Permit holders must reduce their share of TMDL pollution by 5 percent during the current MS4 permit cycle (2013–2018), an additional 35 percent



(40 percent total) during the second permit cycle (2018–2023), and the final 60 percent (100 percent total) during the third permit cycle (2023–2028). In general, these mandates must be accomplished by implementing costly stormwater structural BMPs as retrofits.

The US EPA Chesapeake Bay Program's Phase III Watershed Implementation Plan (WIP) and associated Phase 6 modeling process — along with plans to create load allocations for unregulated areas outside MS4 service areas — could move the goal post and require additional reductions beyond those in the Phase II WIP.

Virginia's TMDL program has identified several local impairments and requires a different set of practices and accounting rules for compliance.

The Governor's Executive Order #6 requires review of VDEQ's water quality programs, among others, and the findings could lead to potential modifications in the current regulatory framework.

MS4 Sector Needs

The greatest need in the state MS4 sector is program funding. For MS4 localities in the Chesapeake Bay, this includes the increasing costs to install stormwater quality infrastructure to address mandated Bay TMDL target reductions. For all MS4 localities, increasing program funding is needed for the growing compliance requirements in each successive permit. Virginia provides some funding through Stormwater Local Assistance Fund (SLAF) grants but has failed to include funding the last two years. To address increased requirements, urban stormwater funding assistance should increase to levels comparable to those in the wastewater industry.

The greatest need is related to the likelihood that the Phase III WIP will require even more reductions from localities, necessitating even more funding.

Funding for drainage and flood mitigation projects, including grey infrastructure maintenance and renewal costs, is also placing great burden on localities. Many localities are focused on funding drainage projects because the funding needed for these projects greatly outweighs what is needed for water quality projects. With increased focus on water quality, flood mitigation and drainage projects are not considered alongside localities' overall costs.

MS4 Sector Challenges

The greatest challenge in the Virginia MS4 sector is the lack of regulatory consistency and certainty due to changing requirements. The Phase III WIP will likely increase pollution reduction requirements. Development of load allocations during this process also threatens program stability. As mentioned above, lack of adequate state and federal funding to supplement local funding is also challenging.

Trends in Water Quality

Comparing Virginia's 2016 Water Quality Assessment Integrated Report (IR) with the 2014 IR, state water quality seems to be improving. Impairments decreased over that time, and the percentage of nonimpaired waters increased. According to the report, many of the commonwealth's waters contain data indicating a "supporting" status for one or more designated uses. Efforts by MS4s and increased spending on stormwater management programs has likely contributed to this trend. However, there seems to be an overreliance on bacteria indicators that are often predominantly associated with wildlife, which is likely not a good indicator of MS4 program effectiveness.

State Water Quality Rating (1 Poor, 5 Excellent)

According to Virginia's 2016 IR, many of the commonwealth's waters contain data indicating a 'supporting' status for one or more designated uses. Virginia separately reports on rivers, lakes, and estuaries. Of those assessed, 15 percent of rivers, 80 percent of lakes, and 75 percent of estuaries were found to be impaired, according to the 2016 IR. Given this data, rivers would be around a 4 rating, lakes around 1.5, and estuaries around 2. Note that there remains a dichotomy between urban and rural streams, with urban waterbodies more often assessed than rural waterbodies. This may give the appearance that there are more impairments in urban areas.



National Municipal Stormwater Alliance 107 S. West Street, Suite 405 Alexandria, VA 22314-2891 nationalstormwateralliance.org



